दिनांकः - २२/१०/२०१८

निविद क्रं. ई १०३१ (सर्जिकल ड्रेसिंग मटरेयिल) चे निविदा पूर्व बैठक दि. १२/०७/२०१८ रोजीचे इंतिवृत्तांत

Sr. no	Name of Firms	Original Tender Terms	Amendment Requested	Justification For Ammendment by Bidders	Department Remarks
1	M/S Adeshwar Meditex Pvt. Ltd.	2.4 Tenderer (manufacturer) must have valid WHO GMP with product list OR Product wise (COPP) Certificate issued by the State Drug authority.	2.4 Tenderer (manufacturer) must have valid WHO GMP with product list OR Product wise (COPP) Certificate issued by the State Drug authority WHERE EVER APPLICABLE	As the said products are not comes under Surgical Dressing WHO GMP IS NOT APPLICABLE . Hence these to be exempted from WHO GMP CERTIFICATE	Accepted
2	M/S Adeshwar Meditex Pvt. Ltd.	4. Pre Bid meeting : Tenderers shall note that any corrigendum issued regarding this tender notice will be published on the Haffkine Biopharmaceutical Corporation Ltd, (Purchase Cell) portal and https://mahatenders.gov.in.	Tenderers shall note that any corrigendum issued regarding this tender notice will be published on the Haffkine Biopharmaceutical Corporation Ltd, (Purchase Cell) portal and https://mahatenders.gov.in and also http://www.vaccinehaffkine.com/	IF THE SAID ARE uploaded in both the website, it will help us tenderer.	Accepted
3	M/S Adeshwar Meditex Pvt. Ltd.	Envelope No. 1 (Technical Bid): 4. WHO-GMP (with product list OR COPP)	4. WHO-GMP (with product list OR COPP) to be amended to <u>GMP CERTIFICATE</u>	As the said products are not comes under Surgical Dressing WHO GMP IS NOT APPLICABLE . Hence these to be AMMENDED TO GMP CERTIFICATE	Accepted
4	M/S Adeshwar Meditex Pvt. Ltd.	30. Proof of EMD submitted(Original hard copy to be submitted) 31. Proof of tender fees paid(Original hard copy to be submitted)	If the Payments are made through ONLINE EPORTAL, these are not applicable, the same are to be applicable only if the payment is made by Bank Guarantee	As if the payments are made through online payment e-portal, the said receipt can not be generated, secondly if the payments are made then only, tenderer can proceed further, hence these are not applicable if the payments are made online eportal	No change
5	M/S Adeshwar Meditex Pvt. Ltd.	9.1 The tenders shall remain valid for a period of 120 days after the date of opening of Envelope No. 2 (Price bid).	Price bid opening date to be mentioned .	By mentioning the price bid opening date, it No change will held us the tenderer to quote the rates due to fluctuations of rates . Without the price bid opening date, it is difficult to keep the rate validity for unknown period.	
6	M/S Adeshwar Meditex Pvt. Ltd.	19. Place of delivery :	19. Place of delivery : All the consignee are strictly instructed to send the stock acceptance certificate as per the format , within seven days from the date of receipt of the stocks to Haffkine Bio Pharmaceuticals Limited through email as well as hard copy , with a copy to the supplier.	All the consignee are to be strictly instructed to send the stock acceptance certificate as per the format, within seven days from the date of receipt of the stocks to Haffkine Bio Pharmaceuticals Limited through email as well as hard copy, with a copy to the supplier and these are to be mentioned in the purchase order itself, so that the consignee will send the acceptance certificate in time	Accepted

1-

-

	1	L			
7	M/S Adeshwar Meditex Pvt. Ltd.	AMMEXURE -III -ORDER COPIES	If the Annexure –iii is CERIFIED By Chartered Accountant, the order copies are not required	By amendment , the uploading of the bulky	Accepted
8	M/S Adeshwar Meditex Pvt. Ltd.	Annexure – 7& Annexure 9	NOT APPLICBLE	documents can be avoided As these documents are after the award of the	
9	M/S Adeshwar Meditex Pvt. Ltd.	Annexure -8 Price Bid	TO BE UPLOADED IN ENVELOPE NO. 2	contract , not related to technical documents As price bid, to be uploaded in envelop no.2	Accepted
10	M/S Adeshwar Meditex Pvt. Ltd.	11.7 Fall Clause It is a condition of the contract that all through the currency thereof, the price at which tenderer will supply the stores should not exceed the lowest price charged by the tenderer to any customer during the currency of the contractand that in the event of the prices going down below the contract prices, the tenderer shall promptly furnish such information to the purchaser to enable him to ammend the contract rates for subsequent supplies.	11.7 Fall Clause It is a condition of the contract that all through the currency thereof, the price at which tenderer will supply the stores should not exceed the lowest price charged by the tenderer to any Govt Origanisation during the currency of the contractand that in the event of the prices going down below the contract prices, the tenderer shall promptly furnish such information to the purchaser to enable him to amend the contract rates for subsequent supplies.	By mentioning the such clause, it restrict the business freedom of the tenderer. Hence to be amended .	11.7 Fall Clause It is a condition of the contract that all throug the currency thereof, th price at which tenderer will supply the stores should not exceed the lowest price charged b the tenderer to any Go Organisation/ Semi Go Organisation during th currency of the contract and that in the event of the prices going down below the contract price the tenderer shall promptly furnish such information to the purchaser to enable hin to ammend the contract rates for subsequent
11	M/s KMS Manufdacturing Company	2.4 Tenderer (Manufacturer) must have valid WHO GMP with product list or product wise COPP CERTIFICATE ISSUE BY STATE DRUG AUTHORITY.	Schedule M along with product list, hence request you to consider GMP as per revised schedule M issu by the state drug authority for this tender instead of WHO GMP or COPP	Surgical dressing materials manufacturers are normaly not issued WHO GMP by the satate drug authority and are issue GMP as per Revised Schedule M along with product list, nence request you to consider GMP as per revised schedule M issu by the state drug authority for this tender instead of WHO GMP or COPP	supplies. Accepted
2	1. Laxmi Industries , Sangli		A) As per clause No.2.4 of the Tender Document the Manufacturer must have valid WHO GMP, but this is not granted by the drug department for surgical dressings, they issue only Revised Schedule 'M' GMP Certificate,		Accepted

		so we request you to accept the Revised Schedule 'M' GMP Certificate.	
13	Laxmi Industries , Sangli	 B) The Tender Document also states that the tenderer must submit Certificate signed by the drugs authority as per 'Annexure-2', which itself has the GMP certification included in it and we have been submitting this certificate in all previous tenders issued by DHS, so submission of separate GMP certificate is not required if Certificate as per 'Annexure-2' is submitted and this practice was followed in tenders issued by DHS till date, so we request you to accept only single certificate in the format of 'Annexure-2' instead of GMP.	No change
14	Laxmi Industries , Sangli , Sky Industries	 C) As per G.R. No. SPO 1088/(2512)/IND-6 dt.2nd January 1992 , as well as Maharashtra Govt. G.R.Dt.30/10/2015 and 01/12/2016 items such as absorbent gauze, bandage cloth, absorbent cotton are excessively reserved for purchase from SSI units of the state, Item No.16,17&18 Rolled Bandage which as is the Synonym for Bandage Cloth as per specifications laid down in Schedule F-II of Dugs and Act 1940 and also must also be purchased form SSI units, so we request you to kindly reserve this items for purchase from SSI units.	No change
15	Laxmi Industries , Sangli	 D) As per clause No.6.1 of the Tender Document the manufacturer should submit Annexure-A, C and D, but these Annexure's are only the terms and conditions of the tender, we feel these are not required to be submitted, kindly clarify whether to submit these Annexure's or omit them.	No change
16		E) As per clause No.6.1 of the Tender Document the manufacturer should submit Annexure-5 (Details of Manufacturing Unit) and also submit Annexure-11(Details of Manufacturing / Importing Unit), we are in dilemma as both Annexure's are similar except in the period of Installed Production capacity. Kindly clarify which Annexure should be submitted by manufacturer.	No change
17	Laxmi Industries , Sangli	 F) As per clause No.6.1 of the Tender Document the manufacturer should submit Annexure-7 (Performance Security Deposit form) and also Annexure-9 (Contract Form), which we feel it is submitted after completion of the tender. Kindly clarify whether to submit these Annexure's or omit them	Accepted
18	Laxmi Industries , Sangli , Sky Industries	 G) As per clause No.6.1 of the Tender Document the manufacturer should submit Annexure-12 (Bar coding Details) which we feel are not applicable for Surgical Dressings as these products are Packed in tertiary Package of HDPE Bags / Gunny bags and affixing BAR Code on them is impractical and this exemption have been given by DHS in their earlier Tenders and also by Haffkine in Tender No.E-970, Kindly consider our request and Kindly clarify on the matter	Accepted only for rolled bandages
19	Laxmi Industries , Sangli	 H) The tender documents says the Price Bid as per Part 1 of Annexure-8 should be submitted in envelope 2, but it does not specify where to	Accepted

· · · ·

-3-

		submit Part2 of Annexure-8, should it be submitted on the same page of Part1 in envelope 2 or separately in envelope2, Kindly clarify.	
20	Laxmi Industries , Sangli ,Sky Industires	 I) The Delivery period stated in the Tender is 45 days, we request you to kindly extend the delivery period to at least 90 days for surgical dressings as the processes involved include weaving, desizing, bleaching, drying, treatment which are very time consuming processes further these products are manufactured by micro small and medium enterprises not by large enterprises on large scale	No Change
21	Laxmi Industries , Sangli , Sky Industries) We would like to bring to inform you that, as per Notification of Ministry of Health and Family Welfare, Govt. of India. dt. 31st January 2017, * Surgical Dressings and Bandages have been taken out of the ambit of Food and Drug Act and categorized as Medical Devices, the Rules for which have come into effect on 1st January 2018. So we cannot apply to FDA for the Certificates as required in the Tender Document and so we request you to relax this condition or at least give grace time to submit the certificates if FDA agrees to issue these certificates to us.	Previous documents (i.e. valid prior to notification) should be submitted of State Drug Authority to be submitted)
22	Laxmi Industries , Sangli	 K) We request you to provide grace period for submissions of discrepancies in Technical documents, as it is not mention in the Tende 	No Change
23	Laxmi Industries , Sangli	L) As per 'fall Clause' No.11.7 of the Tender Document, the rates quoted should not exceed the lowest rates to any customer must be revised as Rates to any Govt. Institution in Maharashtra.	11.7 Fall Clause It is a condition of the contract that all through the currency thereof, the price at which tenderer will supply the stores should not exceed the lowest price charged by the tenderer to any Govt.
			Organisation/Semi Govt. Organisation during the currency of the contract and that in the event of the prices going down below the contract prices
			the tenderer shall promptly furnish such information to the purchaser to enable him to ammend the contract rates for subsequent

- 4-

· · · · ·

				supplies.
24	M/s Indian Surgical Mfg. Company		Please amend for Elastic Cotton Creape Bandage (10cmx 2.75mtr) , Creape Bandage 10cmx2.75mtr with (as per ISI Specification only)	No Change
25	M/s Goldwin Medicare Limited	-	In this reference we wish to inform you that as per CDSCO notification on Medical device regulation 2017, documents no. CDSCO/FAW/MD/01/2018, FAW 66, items like Roll Cotton Bandage, Cotton Bandage Cloth and Crepe Bandage are covered under Surgical Dressings categorized under Medical Device Act. These items were earlier covered under Drugs and Cosmetics Act 1940 and the certificate required in the above referred tender were provided by the respective State Drug Controlling Authorities. Now will the State Drug Authorities be issuing these Certificates required by you? If not kindly give an clarification on submission of these documents	Previous documents (i.e. valid prior to notification) should be submitted of State Drug Authority to be submitted
26	Wilson Tapes PvT Limited		Kindlv delete thisTwo producr sr No. I and 2 in the Tender because of This Product h as Repeat as per sr No.:3 and 4 and further we are informing you that all over India all States Require this Product's Size in length 2. 7 mir in the Tender and in this connection we are informing you that This length in meter is not suitable to use to patient because the length is too long and due to which here are more chances of getting pre casl before finishing the application on the patlent. 4 mtr becomes hedvy for the patient. In this there are more chances of wastage' It takes Longer to apply which makes the patlent tired and in pain. FurtherweareinformingyouthattenderProductLi5tinsrNo,i4ProductofPlaster ofParisBandage (8.P.) (Readymade) 20 cm x 4 mtr kindlv change the size : 10 cm x2'7 mtr because of Rest of India all over India all States required thk Size and we mostlv 20 cm width use on 7 Ft or above heiBhted patient and in India have aver.ge height 6-0 ft sowearerequesiyoupleasechangesize10cmx2'7mtrinsteadof20cfr!4mtr' Sir, if please get feedback or opinion from Any Sr' Orthopaedic Doctor from your Side ' nrd after take rlecislon we request you kindly change as per above mention and change or amend in thIs Tender we are enclosed herewith Tender Copy with Product List of Different State foryour ready reference'	No change
	5	8		

· 56 %

- 5-

27	Sky Industries	अट दिलेली आहे.FDA कडून करण्याचा परवाना दिला जातो व तसेच Rolled Bandages हे	रप्य Kolled Bandages प्या प्रत्यक साइज साठा वाषक उलाढालाचा आम्हास Bandage cloth व Rolled cotton Bandage उत्पादन व आम्ही मागणीनुसार त्या त्या साईजचे उत्पादन करीत असतो. Bandage Cloth चेच synonymous नाव असल्या कारणाने Bandages चे उत्पादन व विक्रीची रक्कम ही वार्षिक उलाढाल ग्राहय	No Change
28	Sky Industries	उत्पादन विचारलेले आहे या ब या नावाने FDA कडून उत्पाद व Rolled Bandage च्या क उत्पादन केल्या जाते. तसेच	मध्ये Rolled Bandages च्या वेगवेगळ्या साईजच्या मागील तीन वर्षांचे बाबतीत आमची विनंती आहे कि Bandage Cloth व Rolled Bandage दन परवाना मिळतो व Approved Product List मध्ये Bandage Cloth कोणत्याही साईज चा उल्लेख नसतो. जशी मागणी असेल त्या पद्धतीचे T Rolled Bandage हे Bandage Cloth चेच synonymous नाव Cloth व Rolled Bandage (सर्व साईज) मिळून उत्पादन क्षमता गाहय	No Change
29	Sky Industries		EXURE - 11 दोन्ही ANNEXURE सारखेच आहेत केवळ एकात वार्षिक मासिक उत्पादन क्षमता विचारलेली आहे. करिता कोणतेही एक मरण्यात यावे हि विनंती.	No Change

C. S.

Break Dr. R. M. Kumbhar

General Manager-1 HBPCL, (Procurement cell)

- 6-