Haffkine					
HAFFKINE BIO PHARMACEUTICAL CORPORATION LIMITED					
Procurement Cell					
(A Government of Maharashtra Undertaking)					
Regd. Office : Acharya Donde Marg, Parel, Mumbai 400 012 (INDIA)					
Phone No: 022- 24129320-23	Website : http://www.vaccinehaffkine.com				
Managing Director :022-24150628	E-mail: procurementcell@vaccinehaffkine.com				
General Manager (Procurement Cell) :022-24100478	No.: 3280 /Haffkine/Procurement Cell/E-1807/Laparoscopic				
	Set With all accessories /2019-20				
	Date: 13/04/2020				

To,

M/s. Stryker India Pvt.Ltd.

10th floor,Vatika Business Park, Block II ,Sohna Road , Sector- 49, Haryana-1222002 **E-Mail: tenders.india@stryker.com**

ranjan.kumar@stryker.com

Subject : Supply Order for Tender No. E-1807/Laparoscopic Set With all accessories. Reference: 1. Tender No. E-1807/HBPCL/PC/ Laparoscopic Set With all accessories /2019-20. 2. Sanction of Tender Approval Committee Meeting Dated 21.03.2020.

With reference to the tender cited under reference no 1, you are requested to supply the following goods as per details mentioned below to consignee list enclosed with this order.

Sr. No.	Name of the item	Specification of item	Quantity/ Unit (DMER)	Unit Rate inclusive of GST(Rs.)	Total Amount Rs.
1	Laparoscopic Set With all accessories Model- Stryker Endoscopy, USA	As per Annexure X	1	49,99,182/-	49,99,182/-
Tota	al amount in words: Rupee only.	es Forty-Nine lakh	ninety-nine	thousand one hu	ndred eighty two

Forwarding: Forwarding Free on Road Destination. I.e. door delivery basis.

- 2 **Delivery Period**: 12 weeks from the date of receipt of order by the supplier to the consignee attached.
- 3 Pre-Dispatch Inspection: Supplier shall make necessary arrangement / facilitate to carry out Pre-Dispatch inspection as per Tender Terms & condition and submit the Inspection report to this office. The Pre-Dispatch inspection cost will be borne by supplier. Machine should be dispatched only after satisfactory Pre-Dispatch Inspection.

- **Risk purchase clause**: If the bidder fails to supply the stores within the stipulated delivery period, the order will stand cancelled. Undersigned shall be entitled to purchase such stores from any other source at such price which ordinarily should not be more than 10% of the tender price. The extra expenditure in such cases shall be recovered by Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai from the Supplier.
- 5 **Payment Terms:** Payment of 100% of the contract value will be made within 8 weeks on delivery and successful installation and satisfactory commissioning and operation of the machinery.
- 6 **Labelling**: The word **"For use of GOVERNMENT OF MAHARASHTRA NOT FOR SALE"** should be printed on each unit pack in readable Purple or Green Colours.
- 7 Acceptance & Receipt: It should be submitted in Appropriate Format to the purchasing authority.
- 8 **Delivery Challan** Should be sent in the name of consignee in duplicate. It should specify Name of Equipment / Mfg. by / packing & quantity.
- 9 Invoice Copy Should be sent in triplicate on the Name of Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd.(Procurement Cell), Mumbai. Along with Bill of Entry and Country of Origin Certificate of the consignment.

10 Other Terms :

4

1) Warranty: The warranty period shall be for 2 years from the date of commissioning of all equipment supplied as certified by the consignee. After completion of 2 years warranty period Manufacturer/Supplier should give commitment to ensure services and supply of spare part for further 8 years. The successful tenderer must ensure 95% uptime during warranty period. In case of downtime, warranty period will be extended for period of downtime. If the equipment is not attended within 24 hours for Mumbai and 48 hours for other places the supplier will be liable to pay a penalty of 0.07% of purchase cost for every day of delay. Such penalty will be recovered from the amount of security deposit. Certificate of such uptime / downtime issued by the end user will be binding for the supplier Replacement of spares parts thereof due to manufacturing defects during warranty period will be entirely at the supplier's cost.

2) The user institution will enter to the Comprehensive Maintenance Contract with supplier agency @ 5% of the order value of the equipment per year for 8 years after completion of warranty period. In case of non-compliance of CMC the supplier will be liable to pay penalty or for appropriate action. Payment of CMC on yearly basis will be made by the user's institution, at the end of the year after satisfactory performance report from the end user.

11 **Contract Agreement:** Bidder should submit a tripartite (Importer, Manufacturer and Haffkine Bio Pharmaceutical Corporation Ltd.) Contract Agreement on non-judicial stamp paper of requisite value.

Fall Clause

It is a condition of the contract that all through the currency thereof, the price at which you will the supply stores should not exceed the lowest price charged by you to any customer during the currency of the contract and that in the event of the prices going down below the rate contract prices you shall promptly furnish such information to us to enable to amend the contract rates for subsequent supplies.

12 The Bidder should submit (within 7 days) amount of 1.5% ie. Rs. 74,988/- of order value to meet other incidental expenditure and 3% i-e Rs.1,49,975/- as Security Deposit in form of Bank Guarantee. The Bank Guarantee valid for 2 months after the expiry of date of warranty issued by any Nationalized / Scheduled Bank.

Amount to be deposited to Following Account:

Name of Account	Haffkine Bio-Pharmaceutical Corporation Ltd. (Procurement Cell), CESS Account Mumbai.	
Name of the Bank & Branch	Canara Bank, Branch-Parel	
Account No.	0110201004893	
IFSC Code	CNRB0000110	

Consignee: As per list enclosed

tee 2mj_

(Dr. Rajesh Deshmukh) Managing Director Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai.

Copy to:

- 1) Commissioner Health Services, Mumbai.
- 2) Director, Medical Education & Research, Mumbai-400 001.
- 3) Account Manager, Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai.
- 4) Office File.

<u>Copy to</u> Consignee: Dean Government Medical College, Chandrapur : As per Tender Condition No.17 The user Institution should get the Comprehensive Maintenance Contract done with supplier agency @ 5% of the Order value of equipment per year for Eight years after Completion of warranty period.

Copy Submitted to: 1) Secretary, Medical Education & Drug Department, Mantralaya, Mumbai.

Annexure-X

Specification for Laparoscopic Set With all accessories

Sr. No.	Revised Technical Specification
1	Laparoscopic Video Monitor (High definition Television HDTV): 1 no with Size 26', full high definition, medical grade. Full digital HDTV compatible, super high resolution (1920x1080p) image with stable and flicker free image quality. Large LED Screen provided clear, easy-to-see image power consumption. It should be USFDA & CE approved.
2	 Laparoscopic Camera with control unit : Full high definition camera 1930 X 1080p with lenses three CMOS chip sensors obtaining the exact colour of the image, HD camera : 1 no 3 cmos it should have unprecedented colour reproduction and highest degree of fidelity. It also should have horizontal image resolution. Should have 4 programmable buttons on camera head, 2X digital zoom. 9 pre set user program. Touch screen LCD panel on control unit. It should be USFDA & CE approved.
3	Led Light source equivalent to 400Watts Xenon light intensity- 1 no. Enables users to visualize standard white light wavelengths, Infrared light wavelengths, and Endoscopic Near Infrared wavelengths using ICG technology Control of the Light Source directly from the camera head Adjustable light intensity in both white light mode and in Infra-Red Light Light source should have integrated output for Infrared Lighted fibers for urethral detection, inbuilt into one unit only. Separate unit is not acceptable Integrated technology designed to put the light Source into Standby mode when disconnecting the scope from the light cable Substantial cost saving benefits in overall lifetime ownership compared to a Xenon Light Source requiring bulb replacements Maintains strong white light output over course of use Intuitive capacitive LED touch screen user interface Universal jaw for broad compatibility and ease of use The intensity of white light & IR light should be adjustable Should be provided with Fiber Optic cable 5mmX 250mm or more (1 Nos) It should be USFDA & CE approved.
4	Medical grade HD Recorder system with 599GB Internal capacity. CPU with software not acceptable1 no
5	Laproflattor: 1 no. Electronic CO2 Insufflator with 20 Ltr flow rate. High degree of safety, large digital numerical display for status checking and flow rate and responds to abdominal gas leaks by quickly returning to the pre-set for patient safety. It should be CE approved.
6	Electrosurgical unit with accessories : It should have high frequency surgical unit with accessories of same make, more than adequate for all surgical procedures, can set at lower limit. Power-pack system gives intelligent cutting and coagulation support for initial incisions for all situations has to be include in the above unit sophisticated self check program: Minimum power consumption and patient's safety in top quality must be present. Cut control for consistent regulation of cutting quality & soft coagulation to reduce adhesive effect. Neutral Digital error code displays.

HAND INSTRUMENTS FOR LAPAROSCOPY: ii) Trocar & Cannula : 10mm- 2 nos 5mm – 6 nos It should consist of trocar, cannula with Insufflation stopcock and Multifunctional/ magnetic valve and must have pyramidal tip. iii) Reducer/ reduction sleeve: 10mm ⁵ mm: 1 no iv)Telescopes : 10mm 30 degree 1 no 5mm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no Peritoneal Scissors 1 no
10mm- 2 nos 5mm – 6 nos It should consist of trocar, cannula with Insufflation stopcock and Multifunctional/ magnetic valve and must have pyramidal tip. iii) Reducer/ reduction sleeve: 10mm ⁵ 5mm: 1 no iv)Telescopes : 10mm 30 degree 1 no 5mm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
5mm – 6 nos It should consist of trocar, cannula with Insufflation stopcock and Multifunctional/ magnetic valve and must have pyramidal tip. iii) Reducer/ reduction sleeve: 10mm ⁵ 5mm: 1 no iv)Telescopes : 10mm 30 degree 1 no 5mm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
It should consist of trocar, cannula with Insufflation stopcock and Multifunctional/ magnetic valve and must have pyramidal tip. iii) Reducer/ reduction sleeve: 10mm ⁵ 5mm: 1 no iv)Telescopes : 10mm 30 degree 1 no 5mm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
Multifunctional/ magnetic valve and must have pyramidal tip. iii) Reducer/ reduction sleeve: 10mm ⁵ mm: 1 no iv)Telescopes : 10mm 30 degree 1 no Smm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
 iii) Reducer/ reduction sleeve: 10mm⁵mm: 1 no iv)Telescopes : 10mm 30 degree 1 no Sigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
iv)Telescopes : 10mm 30 degree 1 no 5mm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
10mm 30 degree 1 no 5mm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
5mm 30 degree 1 no Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
Rigid rod lens system provides good resolution & better depth perception. It should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
should have uniform image brightness and Autoclavable. The 30degree forward oblique angle permits for greater latitude of viewing underlying areas under difficult anatomical conditions. Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
Telescopes should be USFDA & CE approved, v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
v) Suction Cannula : 10mm 1 no & 5 mm 1 no vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
vi) Laproscpic scissors : Curved (Monopolar Metzenbaum dissector 5mm diameter) : 1 no Straight Scissors 1 no
diameter) : 1 no Straight Scissors 1 no
Straight Scissors 1 no
Peritoneal Scissors 1 no
Uninglar Hagle & another 2 mag
vii) Unipolar Hook & spatula: 2 nos
viii) Bipolar forceps: 2 nos
ix) Atraumatic foreps : Maryland Dissector forceps: 2 nos
x) Atraumatic Fenestrated forceps: 2 nos
xi) Needle Holder (flat jaw) with handle: 2 nos
xii) Monopolar cable (reusable/0 & Bipolar cable (reusable): 1each
xiii) Aspiration (double row of teeth) grasper: 1 no
xiv) Aspiration needle : 1 no
xv) Grasping forceps (toothed & ratchet 5mm0 : 1 no
xvi) Laparoscopic knot pusher : 1 no
xvii) Clip applicator (reusable) : 1 no
xix) Drilling needle : 1 no
(xx) Biopsy forceps (toothed punch biopsy) : 1 no
xxi) Myoma fixation screw : 1 no
xxii) Morcellator unit : 1 no
Servo stabilizer for use of Laparoscopic set, Local-1no
Endoscopy Trolley, Local-1 no
Camera, Medical grade Monitor, LED Light Source, Telescopes all should be JSFDA & CE certified and from a single manufacture only) Hand instruments, Cautery, Morcellator etc local & of third party.

λ. **τ**

	Consignee Details	
	M/s. Stryker India Pvt.Ltd.	
	Laparoscopic Set With all accessories	
	Model- Stryker Endoscopy, USA	
Delivery Period	12 weeks	
PO Reference No.	No.: 32-30 /Haffkine/Procurement Cell/E-1807/ Laparoscopic Set accessories /2019-20 Date: 1810412020	With all
Sr. No.	Name of the Consignee	Qty .
1	Government Medical College, Chandrapur	1
	Total:	1

terrin -

(Dr. Rajesh Deshmukh) Managing Director Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai. 1.1