

**HAFFKINE BIO PHARMACEUTICAL CORPORATION LIMITED****Procurement Cell****(A Government of Maharashtra Undertaking)****Regd. Office : Acharya Donde Marg, Parel, Mumbai 400 012 (INDIA)**

Phone No: 022- 24129320-23

Managing Director :022-24150628

General Manager (Procurement Cell) :022-24100478

Website : <http://www.vaccinehaffkine.com>E-mail: procurementcell@vaccinehaffkine.comNo.: 3270 /Haffkine/Procurement Cell/E-1626/
Laparoscopic & Hysteroscopic Set /2019-20

Date: 14/04/2020

To,

M/s. Spectravisision Meditech
Flat No.5, 1st Floor, Shri Krishna Apartment
Opp. Fergusson College Main Gate,
Shirole Road, Pune -411004.

E-Mail: info@spectravisision.co
nilesh@spectravisision.co
pramod@spectravisision.co
meditech.spectravisision@gmail.com

Subject : Supply Order for Tender No. E-1626/ Laparoscopic & Hysteroscopic Set.**Reference:** 1. Tender No. E-1626 /HBPC/PC/ Laparoscopic & Hysteroscopic Set 2019-20
2. Sanction of Tender Approval Committee Meeting Dated 21.03.2020

With reference to the tender cited under reference no 1, you are requested to supply the following goods as per details mentioned below to consignee list enclosed with this order.

Sr.No.	Name of the item	Specification of item	Quantity/ Unit (DMER)	Unit Rate inclusive of GST(Rs.)	Total Amount Rs.
1	Laparoscopic And Hysteroscopic Set. Model : VIRON 3 HD CMOS Camera (10.503.4000R)	As per Annexure X	01	24,13,600/-	24,13,600/-
Total amount in words: Rupees Twenty Four Lakh Thirteen Thousand Six Hundred only.					
Factory Location: Untere Hauptstrasse. 34/1, 78573. Wurmlingen, Germany					

- Forwarding:** Forwarding Free on Road Destination. I.e. door delivery basis.
- Delivery Period:** 12 weeks from the date of receipt of order by the supplier to the consignee attached.
- Pre-Dispatch Inspection:** Supplier shall make necessary arrangement / facilitate to carry out Pre-Dispatch inspection as per Tender Terms & condition and submit the Inspection report to this office. The Pre-Dispatch inspection cost will be borne by supplier. Machine should be dispatched only after satisfactory Pre-Dispatch Inspection.

4. **Risk purchase clause:** If the bidder fails to supply the stores within the stipulated delivery period, the order will stand cancelled. Undersigned shall be entitled to purchase such stores from any other source at such price which ordinarily should not be more than 10% of the tender price. The extra expenditure in such cases shall be recovered by Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai from the Supplier.
5. **Payment Terms:** Payment of 100% of the contract value will be made within 8 weeks on delivery and successful installation and satisfactory commissioning and operation of the machinery.
6. **Labelling:** The word "**For use of GOVERNMENT OF MAHARASHTRA NOT FOR SALE**" should be printed on each unit pack in readable Purple or Green Colours.
7. **Acceptance & Receipt:** It should be submitted in Appropriate Format to the purchasing authority.
8. **Delivery Challan** - Should be sent in the name of consignee in duplicate. It should specify Name of Equipment / Mfg. by / packing & quantity.
9. **Invoice Copy** - Should be sent in triplicate on the Name of Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd.(Procurement Cell), Mumbai. Along with Bill of Entry and Country of Origin Certificate of the consignment.
10. **Other Terms :**
 - 1) **Warranty:** The warranty period shall be for 2 years from the date of commissioning of all equipment supplied as certified by the consignee. After completion of 2 years warranty period Manufacturer/Supplier should give commitment to ensure services and supply of spare part for further 8 years. The successful tenderer must ensure 95% uptime during warranty period. In case of downtime, warranty period will be extended for period of downtime. If the equipment is not attended within 24 hours for Mumbai and 48 hours for other places the supplier will be liable to pay a penalty of 0.07% of purchase cost for every day of delay. Such penalty will be recovered from the amount of security deposit. Certificate of such uptime / downtime issued by the end user will be binding for the supplier Replacement of spares parts thereof due to manufacturing defects during warranty period will be entirely at the supplier's cost.
 - 2) The user institution will enter to the Comprehensive Maintenance Contract with supplier agency @ 5% of the order value of the equipment per year for 8 years after completion of warranty period. In case of non-compliance of CMC the supplier will be liable to pay penalty or for appropriate action. Payment of CMC on yearly basis will be made by the user's institution, at the end of the year after satisfactory performance report from the end user.
11. **Contract Agreement:** Bidder should submit a tripartite (Importer, Manufacturer and Haffkine Bio Pharmaceutical Corporation Ltd.) Contract Agreement on non-judicial stamp paper of requisite value.
Fall Clause

It is a condition of the contract that all through the currency thereof, the price at which you will the supply stores should not exceed the lowest price charged by you to any customer during the currency of the contract and that in the event of the prices going down below the rate contract prices you shall promptly furnish such information to us to enable to amend the contract rates for subsequent supplies.
12. The Bidder should submit (within 7 days) amount of 1.5% ie. **Rs. 36,204/-** of order value to meet other incidental expenditure and 3% i-e **Rs. 72,408/-** as Security Deposit in form of Bank Guarantee. The Bank Guarantee valid for 2 months after the expiry of date of warranty issued by any Nationalized / Scheduled Bank.

Amount to be deposited to Following Account:

Name of Account	Haffkine Bio-Pharmaceutical Corporation Ltd. (Procurement Cell), CESS Account Mumbai.
Name of the Bank & Branch	Canara Bank, Branch-Parel
Account No.	0110201004893
IFSC Code	CNRB0000110

Consignee: As per list enclosed



(Dr. Rajesh Deshmukh)
Managing Director

Haffkine Bio Pharmaceutical Corporation Ltd.
(Procurement Cell), Mumbai.

Copy to:

- 1) Commissioner Health Services, Mumbai.
- 2) Director, Medical Education & Research, Mumbai-400 001.
- 3) Account Manager, Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai.
- 4) Office File.

Copy to Consignee: Chatrapati Pramila Raj General Hospital, Kolhapur: As per Tender Condition No.17 The user Institution should get the Comprehensive Maintenance Contract done with supplier agency @ 5% of the Order value of equipment per year for Eight years after Completion of warranty period.

Copy Submitted to: 1) Secretary, Medical Education & Drug Department, Mantralaya, Mumbai.

Annexure-X
Specification for Laparoscopic & Hysteroscopic Set

Sr. no	Specification
HD 3 CMOS Camera	HD III CMOS/CCD Camera- Latest Generation Camera under HD III platform with enhanced low light performance. CE Approved Control Unit. Technical Date : Native output Resolution 1920 x 1080 P in DVI format, Aspect Ration 16:9, Sensitivity-2, Lux(treat as delete) @ f (1.4), Signal / Noise Ratio – 70 db, Outputs – HD – SDI-2, Y/ C -2, Composite -2, DVI-1, RGB- 1, RS-232, Key Board Connectivity-(treat as delete,) Speciality wise surgery selection for optimum setting for different surgeries (treat as delete,) Facility to Operate LED-Light Source form Camera, Window Gain, Anti-Moiré Filter. Camera Head-3 CMOS/CCD Progressive scan CCD-1/3” x 3, Programmable 3 bottom on head, Digital and Option optical zoom. Detachable C-mount for use of different couplers such as beam splitter, zoom coupler, use on surgical operating microscopes.
27” HD Medical Grade Monitor	26/27” Full HD LCD MONITOR : High Resolution 1080 (H) x 1200 (V), wide view angle with anti glare & hard coated, Specification: 24” Full HD color medical display (1920 x 1200x RGB /60 Hz.) Fan less cooling, sealed front enclosure, faster response time, aspect ration 16:10, Weight:- 7.3kg without stand.
HD Plus Laparoscope	High Definition Plus Laparoscope dia. 10 mm 30 degree working length 300 mm *Laser welded endoscope which can withstand numerous autoclaving *unique glass cone technology for longer life of fibres *Third generation optics which gives high resolution and brightness all over the images *Developed with better optical clarity and depth of focus *Sapphire Tip-3 times more scratch resistance *Laser welded joints, no chance of leakage *High-quality multicoated (anti-reflective) – optical system *Highly refractive glass for optimal colour rendering even when the image is magnified *Extremely precise centring of the optical and mechanical components for an image that is brilliant and high contrast even around the edges. *Triple tube design for higher stability with many types of endoscopes *Nitrogen filled optical system to avoid interior condensation.
LED Light Source	LED Source offers a high light efficiency by Innovative Lamp Technology. The LED light source provides and intensive light which is focuses on smaller diameter of cable. The intensity is compatible with Xenon. Technical Specification- *Life Span Approx-40,000Hrs. *Color Temperature- 6,000 K Degree, *Intensity controls-Touch Buttons, *Rel. Humidity -<90% non condensing. *Voltage / Current -100-240 V AC, Frequency – 50/60Hz., * Operating Temperature - + 10 Degree to +35 Degree Celcius, * Storage Temperature -+ 10degree to + 40 degree celcius, * Weight Approx.
Fused FOC	Fibre Optic Cable fused for xenon and LED, storz type, 4.8 mm x 230 cm.
CO2 Insufflator	CO2 Insufflator 30 Ltrs. With built in warmer and High Pressure Tubing.
	CE (from notified body)certified
Surgical Cautery	<ul style="list-style-type: none"> • COMBO Generator Technology : High Performance ESU (Diathermy)with Vessel Sealing System & Saline Plasma Bipolar Resection, in single Unit. One Touch : Touch screen 5.7” TFT panel operation for flexible use • Self Demonstration Mode : System gives self demonstration and settings for users • User Programmable : 100user settable programs with case names helps in setting the system • Recall Function : Automatic last status resume • Dual Mono Mone (Optional): Independent power and mode setting for