

## HAFFKINE BIO PHARMACEUTICAL CORPORATION LIMITED Procurement Cell

( A Government of Maharashtra Undertaking) Regd. Office : Acharya Donde Marg, Parel, Mumbai 400 012 (INDIA)

Phone No: 022- 24129320-23 Managing Director :022-24150628

General Manager (Procurement Cell):022-24100478

Website: http://www.vaccinehaffkine.com E-mail: procurementcell@vaccinehaffkine.com

No.: 4649 / Haffkine /Procurement Cell/E-2417/Fully Automated random Access Clinical Chemistry Analyzer/2020-21

Date: 18/05/2021

To,

M/s. Transasia Bio-Medicals Ltd.

Transasia House, 8 Chandivali Studio Road,

Andheri East, Mumbai-400072. E-Mail: g.ganatra@transasia.co.in

Subject: Supply Order for Tender No. E-2417/Fully Automated random Access Clinical

Chemistry Analyzer

Reference: 1. Tender No. E-2417/HBPCL/PC/ Fully Automated random Access Clinical

Chemistry Analyzer/2019-20

2. शा.नि.क्र.: खरेदी-२०१९/प्र.क्र.२७६/प्रशा-१ दि. १५ जानेवारी, २०२०.

3. Sanction of Tender Approval Committee Meeting Dated 09.03.2021

With reference to the tender cited under reference no 1, you are requested to supply the following goods as per details mentioned below to consignee list enclosed with this order.

Sr. No.	Name of the item	Specification of item	Quantity/ Unit (DMER)	Unit Rate inclusive of GST(Rs.)	Total Amount Rs.
1	Fully Automated random Access Clinical Chemistry Analyzer Make & Model: Transasia Bio- Medicals Ltd EM 360	As per Annexure X	01	14,85,000/-	14,85,000/-

Total amount in words: Rupees Fourteen Lakh Eighty Five Thousand Only.

**Factory Location**: M/s. Transasia Bio-Medicals Ltd. SDF – VI Unit No. 161 & 162, SEEPZ-SEZ Andheri (East) Mumbai – 400096.

- Forwarding: Forwarding Free on Road Destination. I.e. door delivery basis.
- 2 **Delivery Period**: 06 weeks from the date of receipt of order by the supplier to the consignee attached.
- Pre-Dispatch Inspection: Supplier shall make necessary arrangement / facilitate to carry out Pre-Dispatch inspection as per Tender Terms & condition and submit the Inspection report to this office. The Pre-Dispatch inspection cost will be borne by supplier. Machine should be dispatched only after satisfactory Pre-Dispatch Inspection.

- Risk purchase clause: If the bidder fails to supply the stores within the stipulated delivery period, the order will stand cancelled. Undersigned shall be entitled to purchase such stores from any other source at such price which ordinarily should not be more than 10% of the tender price. The extra expenditure in such cases shall be recovered by Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai from the Supplier.
- Payment Terms: Payment of 100% of the contract value will be made within 8 weeks on delivery and successful Installation and satisfactory commissioning and operation of the machinery.
- 6 **Labelling**: The word **"For use of GOVERNMENT OF MAHARASHTRA NOT FOR SALE"** should be printed on each unit pack in readable Purple or Green Colours.
- Acceptance & Receipt: It should be submitted in Appropriate Format to the purchasing authority.
- 8 **Delivery Challan** Should be sent in the name of consignee in duplicate. It should specify Name of Equipment / Mfg. by / packing & quantity.
- Invoice Copy Should be sent in triplicate on the Name of Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd.(Procurement Cell), Mumbai. Along with Bill of Entry and Country of Origin Certificate of the consignment.

## 10 Other Terms:

- 1) Warranty: The warranty period shall be for 2 years from the date of commissioning of all equipment supplied as certified by the consignee. After completion of 2 years warranty period Manufacturer/Supplier should give commitment to ensure services and supply of spare part for further 8 years. The successful tenderer must ensure 95% uptime during warranty period. In case of downtime, warranty period will be extended for period of downtime. If the equipment is not attended within 24 hours for Mumbai and 48 hours for other places the supplier will be liable to pay a penalty of 0.07% of purchase cost for every day of delay. Such penalty will be recovered from the amount of security deposit. Certificate of such uptime / downtime issued by the end user will be binding for the supplier Replacement of spares parts thereof due to manufacturing defects during warranty period will be entirely at the supplier's cost.
- 2) The user institution will enter to the Comprehensive Maintenance Contract with supplier agency @ 5% of the Order value (excluding taxes) of the equipment per year for 8 years after completion of warranty period. In case of non-compliance of CMC the supplier will be liable to pay penalty or for appropriate action. Payment of CMC on yearly basis will be made by the user's institution, at the end of the year after satisfactory performance report from the end user.
- Contract Agreement: Bidder should submit Contract Agreement on non-judicial stamp paper of requisite value.

## **Fall Clause**

It is a condition of the contract that all through the currency thereof, the price at which you will the supply stores should not exceed the lowest price charged by you to any customer during the currency of the contract and that in the event of the prices going down below the rate contract prices you shall promptly furnish such information to us to enable to amend the contract rates for subsequent supplies.

certified with proven track record in India with excellent service network throughout the country. (Service network details to be provided).  PHOTOMETER- Multi wave length diffraction grating photometry with 9 or more fixed wave length in the range of 340 to 750 nm.  LAMP SOURCE- Halogen lamp 12v/20w.  PHOTO METRIC- RANGE 0 to 2.5 ABSORBANCE.  ISE FACILITY- Should have integrated flow cell electrode for Na*K*C1*  CONTROL AND MONITORING- Dedicated Computer with colour monitor, keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL- Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, ln addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C,		QUALITY CETIFICATE- The manufacturer / supplier should be ISO/CE			
throughout the country. (Service network details to be provided).  PHOTOMETER- Multi wave length diffraction grating photometry with 9 or more fixed wave length in the range of 340 to 750 mm.  LAMP SOURCE - Halogen lamp 12v/20w.  PHOTO METRIC - RANGE 0 to 2.5 ABSORBANCE.  ISE FACILITY - Should have integrated flow cell electrode for Na'K'CI'  CONTROL AND MONITORING - Dedicated Computer with colour monitor, keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL - Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES - The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM - The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS - Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb Al C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for a least 500 tests	24	certified with proven track record in India with excellent service network			
more fixed wave length in the range of 340 to 750 nm.  LAMP SOURCE-Halogen lamp 12v/20w.  PHOTO METRIC - RANGE 0 to 2.5 ABSORBANCE.  ISE FACILITY- Should have integrated flow cell electrode for Na*K*C1*  CONTROL AND MONITORING- Dedicated Computer with colour monitor, keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL - Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb Al C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE elec					
more fixed wave tength in the range of 340 to 750 mm.  26 LAMP SOURCE- Halogen lamp 12v/20w.  27 PHOTO METRIC- RANGE 0 to 2.5 ABSORBANCE.  28 ISE FACILITY- Should have integrated flow cell electrode for Na*K*C1*  CONTROL AND MONITORING- Dedicated Computer with colour monitor, keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL. Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, in addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb Al C, serum proteins, calcium, phosphorous. Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for	25	PHOTOMETER- Multi wave length diffraction grating photometry with 9 or			
27 PHOTO METRIC- RANGE 0 to 2.5 ABSORBANCE. 28 ISE FACILITY- Should have integrated flow cell electrode for Na*K*C1* CONTROL AND MONITORING- Dedicated Computer with colour monitor, keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC. 30 QUALITY CONTROL- Levey Jenning quality control programmes and twin plot. 31 REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required. 32 ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank. 33 OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Blirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument	23	more fixed wave length in the range of 340 to 750 nm.			
ISE FACILITY- Should have integrated flow cell electrode for Na K*C1*  CONTROL AND MONITORING- Dedicated Computer with colour monitor, keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL- Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, in addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item re	26	LAMP SOURCE- Halogen lamp 12v/20w.			
CONTROL AND MONITORING- Dedicated Computer with colour monitor, keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL- Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, which is a proposed t	27	PHOTO METRIC- RANGE 0 to 2.5 ABSORBANCE.			
keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL- Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution,	28				
keyboard, mouse and laser printer. Facility to monitor reaction data, review data, correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL- Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution,					
correction, reagent monitoring. Facility to store patient data and good memory backup. System should have BIDIRECTIONAL interface for PC.  QUALITY CONTROL- Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrodes should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-kit), suitable deioni	20				
QUALITY CONTROL- Levey Jenning quality control programmes and twin plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb Al C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode o	29	correction, reagent monitoring. Facility to store patient data and good memory			
plot.  REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb Al C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na*K*C1*).  During warranty period all consumables, tubing and Pr		backup. System should have BIDIRECTIONAL interface for PC.			
REAGENTS AND CONSUMABLES- The manufacturer/ supplier should supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na*K*Cl1 and reference electrode separately), ISE reagent Module (One te	20	QUALITY CONTROL- Levey Jenning quality control programmes and twin			
Supply QC Material, other regents as and when required.  ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance et for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na*K*C1* and reference electrode separately), ISE reagent Module (One test include Na*K*C1* and reference electrode separately), ISE	30	plot.			
ALARM SYSTEM- The system should be supplied weight based level sensing platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na*K*C1* and reference electrode separately), ISE reagent Module (One test include Na*K*C1*)  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and othe	2.1				
platform with facility to give alarm for keeping the deionised water tank cleaning solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc or Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na+K+Cl <sup>2</sup> and reference electrode separately), ISE reagent Module (One test include Na+K+Cl <sup>2</sup> and reference electrode separately), ISE reagent Module (One test include Na+K+Cl <sup>2</sup> and reference electrode separately), ISE reagent Module of the strong and Preven	31	supply QC Material, other regents as and when required.			
solution tank, biohazard waste tank, and normal waste tank.  OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.		ALARM SYSTEM- The system should be supplied weight based level sensing			
OTHER REQUIREMENTS- Start up reagents, preventive maintenance kits, suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ) and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.	32	platform with facility to give alarm for keeping the deionised water tank cleaning			
suitable deionizer plant with reverse osmosis, UPS with minimum two hrs batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na*K*C1* and reference electrode separately), ISE reagent Module (One test include Na*K*C1*.  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have		solution tank, biohazard waste tank, and normal waste tank.			
batteries backup to be supplied with the system. The instrument should have the capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module for test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module for Syars.  Ul will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.					
capability to interface a computer and data acquisition also barcode Reading facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na*t*C1* and reference electrode separately), ISE reagent Module (One test include Na*t*C1*.  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
facilities. The system should have appropriate serial port.  The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance et for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have	33				
The instrument should be accompanied with two (02) ton split AC, 350 lit one (01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance et for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately),					
<ul> <li>(01) in number standard Microcontroller laboratory refrigerator for proper storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na<sup>+</sup>K<sup>+</sup>C1<sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na<sup>+</sup>K<sup>+</sup>C1<sup>-</sup>.</li> <li>During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.</li> <li>L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.</li> <li>WARRANTY- Two years warranty form date of installation. Should have</li> </ul>					
storage of kits and reagents of the equipment, In addition to instrument computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
computer, and Extra computer system with 500 GB along with printer, scanner and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have	2.4				
and copier must be supplied.  The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument free of cost for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have	34				
The reagents for blood sugar, Amylase, Lipase, Uric acid, Cholesterol, TG and direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument <b>free of cost</b> for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
direct HDL, hormones, apolipoprotein, ADA, Hb A1 C, serum proteins, calcium, phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument <b>free of cost</b> for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance et for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
phosphorous, Lipase, Bilirubin, AST, ALT, Alkaline phosphatase, Urea, Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument <b>free of cost</b> for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
Creatinine, Cystatin C, Gamma GGT, immunoturbidimetric (CSF protein) for at least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument <b>free of cost</b> for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> .  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
least 500 tests for each chemistry along with controls and callibraters and an electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument <b>free of cost</b> for stat up of instrument.  Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
electrode with ISE buffer to be provided for at least 500 tests and for ISE electrode should accompany with the instrument <b>free of cost</b> for stat up of instrument. <b>Freezing</b> of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for <b>Five years</b> for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-).</sup> During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have	35				
electrode should accompany with the instrument <b>free of cost</b> for stat up of instrument. <b>Freezing</b> of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for <b>Five years</b> for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have		The first transfer of			
Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
Freezing of cost excluding of GST of Close item reagents, Tubing, Auto wash solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
solution for Chemistry, Multi calibrator, control of normal and Abnormal for chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for Five years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have		1			
maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for <b>Five</b> years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have					
maintenance kits (PM-Kit), suitable deionizer plant maintenance etc for <b>Five</b> years for work load of chemistry tests per day and ISE tests per day of electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have		chemistry, probe wash solution, Halogen bulb, Cost of probe, preventive			
electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately), ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> ).  During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have	36				
ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-).</sup> During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have		years for work load of chemistry tests per day and ISE tests per day of			
During warranty period all consumables, tubing and Preventive maintenance kit (PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have		electrolytes (include electrode of Na <sup>+</sup> K <sup>+</sup> C1 <sup>-</sup> and reference electrode separately),			
(PM-kit) and other spare parts should be provided by the company free of cost.  L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have		ISE reagent Module (One test include Na <sup>+</sup> K <sup>+</sup> C1 <sup>-).</sup>			
28 L1 will be decided excluding of GST by the sum of price of the equipment and close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have	27	During warranty period all consumables, tubing and Preventive maintenance kit			
close system consumable for 5 years.  WARRANTY- Two years warranty form date of installation. Should have	37				
WARRANTY- Two years warranty form date of installation. Should have	20	L1 will be decided excluding of GST by the sum of price of the equipment and			
30	36				
CE/FDA approved certificates.	30				
	- 59	CE/FDA approved certificates.			

## **Consignee Details**

M/s. Transasia Bio-Medicals Ltd.							
Fully Automated random Access Clinical Chemistry Analyzer Make & Model: Transasia Bio-Medicals Ltd EM 360							
Delivery Period	06 weeks						
PO Reference No.	No. 4649 /Haffkine/Procurement Cell/E-2417/Fully Automated random Access Clinical Chemistry Analyzer/2020-21 Date: 8/05/2021						
Sr. No.	Name & Address of the Consignee	Qty.					
1)	Government Medical College & General Hospital, Latur.	01					
	Total:	01					

(Dr. Vijay Baviskar)
General Manager-1
Haffkine Bio Pharmaceutical Corporation Ltd.
(Procurement Cell), Mumbai.

The first state .