	Haffkine		
HAFFKINE BIO	PHARMACEUTICAL CORPORATION LIMITED		
	Procurement Cell		
( A Gove	ernment of Maharashtra Undertaking)		
Regd. Office : Ach	arya Donde Marg, Parel, Mumbai 400 012 (INDIA)		
Phone No: 022- 24129320-23	Website : http://www.vaccinehaffkine.com		
Managing Director :022-24150628	E-mail: procurementcell@vaccinehaffkine.com		
General Manager (Procurement	No: 4650 /Haffkine/Procurement Cell/RT- E-2393/		
Cell) :022-24100478	Laproscope With All Accessories/ 2021-22. Date: 18/05/2021		

To,

M/s. Karl Storz Endoscopy India Pvt Ltd., 11<sup>th</sup> Floor, Dr. Gopal Das Bhawan 28, Barakhamba Road, New Delhi – 110001. Contact No.: 8588831476. E-Mail: <u>neetu.kakar@karlstorz.in</u>

# Subject : Supply Order for Tender No. RT- E-2393/Laproscope With All Accessories.

Reference: 1. Tender No. RT- E-2393/HBPCL/PC/Laproscope With All Accessories/ 2020-21.

 शासननिर्णय, क्रमांक - जीएचसी-२०१७/प्र.क्र.२०१/प्रशा-१ दिनांक :२८ जून, २०१७.
शासननिर्णय, क्रमांक - जीसीए-२०१७/प्र.क्र.२०३/प्रशा-१

दिनांक :२८ जून, २०१७.

4. Sanction of Tender Approval Committee Meeting Dated 23.03.2021.

With reference to the tender cited under reference no 1, you are requested to supply the following goods as per details mentioned below to consignee list enclosed with this order.

Sr. No.	Name of the item	Specification of item	Quantity/ Unit (DMER)	Unit Rate inclusive of GST(Rs.)	Total Amount Rs.
Laproscope With All Accessories 1 Make: Karl Storz Model : Laproscope With All Accessories		As per Annexure X	01	53,50,000/-	53,50,000/-

### Total amount in words: Rupees Fifty Three Lakhs Fifty Thousand Only.

Factory Location: Karl Storz Se & Co. KG, Germany, Dr. karl-Storz-Strasse 34, 78532 Tuttlingen, Germany.

1 Forwarding: Forwarding Free on Road Destination. I.e. door delivery basis.

- 2 **Delivery Period**: 12 weeks from the date of receipt of order by the supplier to the consignee attached.
- 3 Pre-Dispatch Inspection: Supplier shall make necessary arrangement / facilitate to carry out Pre-Dispatch inspection as per Tender Terms & condition and submit the Inspection report to this office. The Pre-Dispatch inspection cost will be borne by supplier. Machine should be dispatched only after satisfactory Pre-Dispatch Inspection.

- 4 **Risk purchase clause**: If the bidder fails to supply the stores within the stipulated delivery period, the order will stand cancelled. Undersigned shall be entitled to purchase such stores from any other source at such price which ordinarily should not be more than 10% of the tender price. The extra expenditure in such cases shall be recovered by Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai from the Supplier.
- 5 **Payment Terms:** Payment of 100% of the contract value will be made within 8 weeks on delivery and successful installation and satisfactory commissioning and operation of the machinery.
- 6 Acceptance & Receipt: It should be submitted in Appropriate Format to the purchasing authority.
- 7 **Delivery Challan** Should be sent in the name of consignee in duplicate. It should specify Name of Equipment / Mfg. by / packing & quantity.
- 8 **Invoice Copy** Should be sent in triplicate on the Name of Managing Director, Haffkine Bio Pharmaceutical Corporation Ltd.(Procurement Cell), Mumbai. Along with Bill of Entry and Country of Origin Certificate of the consignment.

#### 9 Other Terms :

1) Warranty: The warranty period shall be for 2 years from the date of commissioning of all equipment supplied as certified by the consignee. After completion of 2 years warranty period Manufacturer/Supplier should give commitment to ensure services and supply of spare part for further 8 years. The successful tenderer must ensure 95% uptime during warranty period. In case of downtime, warranty period will be extended for period of downtime. If the equipment is not attended within 24 hours for Mumbai and 48 hours for other places the supplier will be liable to pay a penalty of 0.07% of purchase cost for every day of delay. Such penalty will be recovered from the amount of security deposit. Certificate of such uptime / downtime issued by the end user will be binding for the supplier Replacement of spares parts thereof due to manufacturing defects during warranty period will be entirely at the supplier's cost.

2) The user institution will enter to the Comprehensive Maintenance Contract with supplier agency @ 5% of the order value (excluding taxes) of the equipment per year for 8 years after completion of warranty period. In case of non-compliance of CMC the supplier will be liable to pay penalty or for appropriate action. Payment of CMC on yearly basis will be made by the user's institution, at the end of the year after satisfactory performance report from the end user.

10 **Contract Agreement:** Bidder should submit a tripartite (Importer, Manufacturer and Haffkine Bio Pharmaceutical Corporation Ltd.) Contract Agreement on non-judicial stamp paper of requisite value.

#### **Fall Clause**

It is a condition of the contract that all through the currency thereof, the price at which you will the supply stores should not exceed the lowest price charged by you to any customer during the currency of the contract and that in the event of the prices going down below the rate contract prices you shall promptly furnish such information to us to enable to amend the contract rates for subsequent supplies.

36.	Output : 1*DVI, 1* 3G SDI, 1* S-Video, Accessories External 24 VDC Power Supply, Mains Cord, Pedestal
37.	Certified to : EN 60601-1, Protection class IPX 1
38.	LED Light Source with Fiber optic cable : Qty - 01
39.	Lamp type : LED 175, Equivalent to XENON 300 Watt, Color Temperatures 6000K
40.	Light Outlets : 1, Light Intensity Adjustment : Continuously adjustable either manually or automatically by
10.	camera head
41.	Should be supplied with Diameter 4.8 mm, Length 300 cm : Qty 1
42.	Certified to : IEC 601-1 & UL 544 CE According to MDD, protection class 1/CF
43.	Electronic CO2 insufflator with Gas Heating & highest degree of patient safety: QTY 1 It should have following features : 50L
44.	Heat able insufflation tube for heating the CO2gas up to patient body temperature.
45.	Innovative Sensitive Mode sensitive areas such as paediatric application with safety limits in the pressure up
	to maximum 15 mmhg and flow ranges up to maximum 151/min
46.	High flow mode with flow performance up to 50l/min., Individually programmable procedure list for starting device with personal pre-sets.
47.	Easy and intuitive use with user friendly colour touch screen for easy and precise setting of set values for pressure and flow and of insufflation mode, as well as for clear display of corresponding set values and actual values.
48.	Optical and acoustic alarm signals in the event of patient overpressure.
49.	Fully automatic, electronically controlled gas refill
50.	Safety System: Constant monitoring of intra-abdominal pressure, any overpressure is reduced immediately.
51.	Applicable for use in Laparoscopy, in Thoracoscopy, in Proctology(For Tansanal Endoscopic Operations) and for endoscopy of the upper and lower gastrointestinal tract, as well as in Cardiac Surgery (open or endoscopically assisted cardiac surgery to assure an optional air extrusion and minimizing risk of air microemboli and for decreasing rate of contamination and minimizing risk of post operative wound infection - for minimally invasive cardiac surgery, e.g. mitral valve surgery) and in Vascular Surgery
	(endoscopic vessel harvesting)
52.	Control via Realistic User Interface TELESCOPES
53.	Telescope, diameter 10mm, length 32cm, autoclavable, variable direction of view from $0^{\circ}$ - $90^{\circ}$ , adjustment
	knob for selecting the desired direction of view, fiber optic light transmission incorporated. Qty - 1
54.	Forward-Oblique Telescope $30^{\circ}$ enlaged view, diameter 5mm, length 29 cm, autoclavable, fiber optic light transmission incorporated, connection for fiber optic light cable offset by $90^{\circ}$ . Qty - 1
55.	LAPAROSCOPIC DISSECTING & GRASPING FORCEPS
56.	Three part laparoscopic autoclavable KELLY dissecting and Grasping Forcep, 360 degree rotational sheath, with connector pin for unipolar coagulation, size 5 mm, length 36 cm, long double action jaws, with ergonomic pastic handle with larger contact area at the finger ring to-avoid pressure sores, can be dismantled with the pressure of a button. Qty -1
57.	Three part laparoscopic autoclavable CORCE-OLMI Grasping Forcep, 360 degree rotational sheath, size 5 mm, length 36 cm, long double action jaws, ergonomic metal handle with palstic finger ring to avoid pressure sores, can be dismantled with the pressure of a button. Qty -1
58.	Three part laparoscopic autoclavable Bowel Grasping Forcep, double action jaws, fenestrated, 360 degree rotational sheath, size 5 mm, length 36 cm, long double action jaws, ergonomic metal handle with palstic finger ring with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the pressure of a button. Qty -1
59.	Three part laparoscopic autoclavable CLAW Grasping Forcep with ratchet, 2X3 teeth, 360 degree rotational sheath, size 10mm, length 36cm,long,single action jaws, with ergonomic metal handle, can be dismantled with the press of a button. Qty - 1
60.	Three part laparoscopic autoclavable Curved METZENBAUM Scissors,360 degree rotational sheath, with connector pin for unipolar coagulation, size 5 mm, length 36 cm, long double action jaws, with ergonomic plastic with larger contact area at the finger ring to avoid pressure sores, can be dismantled with the pressure of a button. Qty -1
61.	Dissecting - Electrode with exchangeable electrode L-tip, autoclavable, ergonomic handling, size 5mm, length 36 cm, with connector pin for unipolar coagulation, Qty - 1

62.	Exchangeable Electrode Tip, L-shaped, Autoclavable Qty -1		
63.	Unipolar HF Cord Qty-2		
64.	Trocar & Cannula:		
65.	Canula Size : 11 mm diameter, should have multifunctional valve to prevent damage of sharp instruments and tip lens while passing through the cannula valve. It should have stopcock for CO2 insufflation. Trocar should have pyramidal tip with pin holes near the tip for safety outlet of CO2 gas. The working length of the cannula should be 105mm. Qty -1		
65.	Canula Size : 6 mm diameter, should have multifunctional valve to prevent damage of sharp instruments and tip lens while passing through the cannula valve. It should have stopcock for CO2 insufflation. Trocar should have pyramidal tip with pin holes near the tip for safety outlet of CO2 gas. The working length of the cannula should be 105mm. Qty -3		
66.	Reducer, 11/5mm Qty-1		
67.	Suction & Irrigation Tube		
68.	Suction & Irrigation Tube, anti reflux surface with two-way stopcock, for single hand control, size 5mm, length 36cm, Qty - 1		
•	LAPAROSCOPIC NEEDLE HOLDERS		
69.	Macro Needle Holder with tungsten carbide insert, dismantling into three parts, namely, outer tube, handle & inserts, ergonomic pistol handle, with disengage able ratchet, jaw curved to left, Size : 5mm, length : 33cm for use with suture material size : 0/0 to 7/0, Qty -1		
70.	Clip Applicator: Medium Large clip applicator for ET300 dismantlable rotation size: 10mm, length 36cm		
71.	Trolley: - Qty - 01 Indigenous made should be FDA, CE, UL or BIS approved product.		
72.			

## **Consignee Details**

	M/s. Karl Storz Endoscopy India Pvt. Ltd.			
	Laproscope With All Accessories Make: Karl Storz & Model : Laproscope With All Accesso	ories		
Delivery Period	12 weeks			
No.: 4650/Haffkine/Procurement Cell/RT- E-2393/ Laproscope VPO Ref. No.Accessories/2021-22. Date: 18/05/2021				
Sr. No.	Name & Address of the Consignee	Qty.		
1)	Government Medical College, Akola.	01		
_	Total	01		

Bernolines

Dr. Vijay P. Bawiskar General Manager - 1 Haffkine Bio Pharmaceutical Corporation Ltd. (Procurement Cell), Mumbai.